



सत्यमेव जयते

File No: SIA/MH/INFRA2/517741/2025
Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)



Dated 14/07/2025



To,

Mr Anil Vithalrao Pawar
MAHARAJA SHIVACHATRAPATI PRATISHTHAN TRUST
S. No. 13 (Part), Shivrushti, Ambegaon Bk., Taluka - Haveli, Pune , Ambegaon Bk, PUNE,
MAHARASHTRA, 411046
shivrushtipune@gmail.com

Subject: Grant of EC under the provision of the EIA Notification 2006-regarding.

Sir/Madam,

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project Shivrushti Project by Maharaja Shivachatrpati Pratishthan Trust submitted to Ministry vide proposal number SIA/MH/INFRA2/517741/2025 dated 13/01/2025.

2. The particulars of the proposal are as below :

| | |
|---|--|
| (i) EC Identification No. | EC25C3803MH5800252N |
| (ii) File No. | SIA/MH/INFRA2/517741/2025 |
| (iii) Clearance Type | EC |
| (iv) Category | B2 |
| (v) Project/Activity Included Schedule No. | 8(a) Building / Construction |
| (vii) Name of Project | Shivrushti Project by Maharaja Shivachatrpati Pratishthan Trust |
| (viii) Name of Company/Organization | MAHARAJA SHIVACHATRAPATI PRATISHTHAN TRUST |
| (ix) Location of Project (District, State) | PUNE, MAHARASHTRA |
| (x) Issuing Authority | SEIAA |
| (xi) Applicability of General Conditions | no |
| (xiii) Applicability of Specific Conditions | no |

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A and B) were submitted to the Ministry for an appraisal by the State Environment Impact Assessment Authority(SEIAA) Appraisal Committee (SEIAA) in the Ministry under the provision of EIA notification 2006 and its subsequent amendments.

4. The above-mentioned proposal has been considered by State Environment Impact Assessment Authority (SEIAA) Appraisal Committee of SEIAA in the meeting held on 22/05/2025. The minutes of the meeting and all the Application and documents submitted [(viz. Form-1 Part A, Part B, Part C EIA, EMP)] are available on PARIVESH portal which can be accessed by scanning the QR Code above.
5. The brief about configuration of plant/equipment, products and byproducts and salient features of the project along with environment settings, as submitted by the Project proponent in Form-1 (Part A, B and C)/EIA & EMP Reports/presented during SEIAA are annexed to this EC as Annexure (1).
6. The SEIAA, in its meeting held on 22/05/2025, based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of EC under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of specific and general conditions as detailed in Annexure (2).
7. The SEIAA has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the State Environment Impact Assessment Authority (SEIAA) Appraisal Committee hereby decided to grant EC for instant proposal of M/s. Mr Anil Vitalrao Pawar under the provisions of EIA Notification, 2006 and as amended thereof.
8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
9. The EC to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
10. This issues with the approval of the Competent Authority.

Annexure 1

Specific EC Conditions for (Building / Construction)

1. Specific


| S. No | EC Conditions |
|-------|---|
| 1.1 | <ol style="list-style-type: none"> 1. PP to submit Certified Compliance Report from RO, MoEF&CC, Nagpur. 2. With reference to the directions given by Hon'ble National Green Tribunal, Central Zone Bench, Bhopal in Original Application No. 93/2024(CZ) vide order dt., 08.09.2024, PP and Consultant to jointly submit undertaking that the project site is not located in whole or in part within 5 km. of the protected area notified under the Wildlife (Protection) Act, 1972, critically polluted areas and severely polluted areas as identified by the CPCB, eco-sensitive areas notified under Section 3(2) of the Environment (Protection) Act, and the inter-state boundaries. 3. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions indicating all required RG area as per prevailing Hon'ble Supreme Court Order. PP to obtain all mandatory NOCs from the concerned planning authority and the planning authority shall not issue occupation certificate unless PP obtains the same. 4. PP to prepare and implement plan to make proposed project a plastic free zone. 5. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green Tribunal on 30.04.2019. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. 6. PP and the planning authority shall ensure that, the construction and demolition waste (C and D waste) is collected and treated at designated places as per Construction and Demolition Waste Management Rules, 2016 amended from time to time. |

| S. No | EC Conditions |
|-------|--|
| | <p>7. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.</p> <p>8. PP to ensure to achieve minimum 5% energy saving by using non-conventional energy source.</p> |

Annexure 2

Details of Products & By-products

| Name of the product /By-product | Product / By-product | Existing | Proposed | Total | Unit | Mode of Transport / Transmission |
|---------------------------------|----------------------|----------|----------|-------------------|---------|----------------------------------|
| Shivrushti Project | Shivrushti Project | 33962.74 | 52699.09 | 86661.82999999999 | Sq m | Construction Project |



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/517741/2025
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s.Maharaja Shivachatrapati Pratishthan,
S. No. 13 (Part) Ambegaon Bk,
Taluka – Haveli, Dist. – Pune.

Subject : Environmental Clearance for Proposed expansion in “Shivrushti”
Historical Theme Park Project at S. No. 13 (Part) Ambegaon Bk, Taluka
– Haveli, Dist. - Pune by M/s.Maharaja Shivachatrapati Pratishthan

Reference : Application no. SIA/MH/INFRA2/517741/2025

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 214th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 293rd (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 22nd May, 2025.

2. Brief Information of the project submitted by you is as below:-

| | | | |
|----|---|---|---|
| 1 | Proposal Number | SIA/MH/INFRA2/517741/2025 | |
| 2 | Name of Project | Proposed expansion in “Shivrushti” Historical Theme Park Project at S. No. 13 (Part) Ambegaon Bk, Taluka – Haveli, Dist. - Pune by Maharaja Shivachatrapati Pratishthan | |
| 3 | Project category | 8a (B2) | |
| 4 | Type of Institution | Private | |
| 5 | Project Proponent | Name | Mr. Anil Vithalrao Pawar |
| | | Regd. Office address | S. No. 13 (Part) Ambegaon Bk., Taluka – Haveli, Dist - Pune |
| 6 | Consultant | Sustainera Solutions Pvt. Ltd. | |
| 7 | Applied for | Expansion in EC | |
| 8 | Details of previous EC | SEAC III-2015/CR-126/TC-3 for Total BUA 33,962.74 m ² | |
| 9 | Location of the project | S. No. 13 (Part) Ambegaon Bk., Taluka – Haveli, Dist - Pune | |
| 10 | Latitude and Longitude | Latitude - 18°27'22.84"N | |
| | | Longitude - 73°50'11.01"E | |
| 11 | Total Plot Area (m ²) | 81,200.00 | |
| 12 | Deductions (m ²) | 16,977.86 | |
| 13 | Net Plot area (m ²) | 64,222.14 | |
| 14 | Proposed FSI area (m ²) | 43,852.41 | |
| 15 | Proposed non-FSI area (m ²) | 42,809.42 | |
| 16 | Proposed TBUA (m ²) | 86,661.83 | |
| 17 | TBUA (m ²) approved by | Zone 2/4444 dated 23.08.2024 for Total BUA - 86,661.83 m ² | |

| | | | | | |
|----|--|---|---|--|-----|
| 18 | Planning Authority till date | Pune Municipal Corporation | | | |
| 19 | Ground coverage (m ²) and % | 18,991.69 and 23.39 % | | | |
| 20 | Total Project Cost (Rs.) | 438.68 Cr. (Existing 124.80 Cr + Proposed: 313.88 Cr) | | | |
| 21 | CER as per MoEFand CC circular dated 01/05/2018 | We will follow the conditions mentioned in OM vide no. F. No. 22-65/2017 - IA.III dated 20.10.2020. | | | |
| 22 | Details of Building Configuration: | | | | |
| | Previous EC /Existing Building | Proposed Configuration | Reason for Modification/Change | | |
| | Structures as per EC | Proposed Structures | Remarks | | |
| | 9 structures | 19 structures | | | |
| | Killedar Wada, Entrance Court, Shivaji Raje Smarak, Raj Sabha, Auditorium, Bajjar peth, Shilpi gram and Devrai, Staff Quarters, Multilevel Car Park (MLCP) | Sarkar Wada, Entrance Court, Bhavani Mata Mandir, Raj Sabha, Cultural Hall, Bazar Peth, Attraction Center, Devgiri, Kokan 11 nos. of structures | Sarkar Wada (earlier Killedar Wada), Entrance Court, Bhavani Mata Mandir (earlier Shivaji Raje Smarak) stands complete. Work for Raj Sabha is ongoing, remaining structures are yet to be constructed. MLCP is renamed as Devgiri. Shilpi gram and Devrai, Staff quarters are cancelled | | |
| 23 | Total number of tenements | Total Units – 19 Nos (Restaurant at LG in Attraction center) Total Population – 14,223 Nos (Visitors – 13,913 Nos and Staff 310) | | | |
| 24 | Water Budget | Dry Season (CMD) | Wet Season (CMD) | | |
| | | Fresh Water | 79 | Fresh Water | 79 |
| | | Recycled (Flushing) | 160 | Recycled (Flushing) | 160 |
| | | Recycled (Gardening) | 162 | Recycled (Gardening) | 00 |
| | | Water Bodies Make up water (Ganga Sagar and Attraction Center) | 18 | Water Bodies Make up water (Ganga Sagar and Attraction Center) | 18 |
| | | Horse maintenance | 01 | Horse maintenance | 01 |
| | | HVAC make-up | 35 | HVAC make-up | 25 |
| | | Total | 455 | Total | 283 |
| | | Waste Water Generation | 203 | Waste Water Generation | 203 |
| 25 | Water Storage Capacity for Firefighting/ UGT | | UGT - Fire Tank: 450 CMD | | |
| 26 | Source of water | Local Body | | | |
| 27 | Rainwater Harvesting (RWH) | Level of the Ground water table: | Pre - Monsoon – 20 - 25 m BGL Post Monsoon – 8 - 10 m BGL | | |
| | | Size and no of RWH tank(s) and Quantity: | NA | | |
| | | Quantity and size of recharge pits: | 1. 5 Nos of recharge Pits with borehole of size 2 m X 2 m X 2 m 2. Rain water Storage tanks proposed | | |
| | | Details of UGT tanks if any: | 2454 KL Rajsabha in 4 nos. of tanks 1903 KL Devgiri in 1 no. of tank 4300 KL Attraction in 1 no. of tank | | |
| 28 | Sewage and Wastewater | Sewage generation in CMD: | 203 | | |
| | | STP technology: | SBR | | |
| | | Capacity of STP (CMD): | 225 | | |
| 29 | Solid Waste | Type | Quantity (kg/day) | Treatment/ Disposal | |

| | | | | | |
|---------------|--|--|--|---|--------------------|
| | Management during Construction Phase | Dry waste: | 53 | Handed over to authorised vendor | |
| | | Wet waste: | 35 | Handed over to authorised vendor | |
| | | Construction waste | Excavated material from proposed buildings. | Excavated material will be used for back filling and site levelling | |
| 30 | Solid Waste Management during Operation Phase | Type | Quantity (kg/day) | Treatment / disposal | |
| | | Dry waste: | 1,706 | Will be handed over to authorized agency | |
| | | Wet waste: | 1,138 | Treated in OWC machine within site | |
| | | Hazardous waste: | Negligible | NA | |
| | | Biomedical waste: | NA | NA | |
| | | E-Waste: | 0.3 | Will be handed over to authorized agency | |
| | | STP Sludge (dry): | 56 | Used as Manure and rest will be handed over to nursery | |
| 31 | Green Belt Development | Total RG area (m ²): | NA | | |
| | | Existing trees on plot: | 664 (421 trees will be retained) | | |
| | | Number of trees to be planted: | 1,139 | | |
| | | Number of trees to be cut: | 00 | | |
| | | Number of trees to be transplanted: | 243 | | |
| 32 | Power requirement: | Source of power supply: | MSEDCL | | |
| | | During Construction Phase(Demand Load): | 200 kW (DG set - 1 X 125 kVA) | | |
| | | During Operation phase (Connected load): | 4,114.75 kW | | |
| | | During Operation phase (Demand load): | 2,849.83 kW | | |
| | | Transformer: | • 2 X 1000 kVA, 2 X 630 kVA | | |
| | | DG set: | • 500 kVA X 4 Nos., 400 kVA X 2 Nos. | | |
| | | Fuel used: | HSD | | |
| 33 | Details of Energy saving | Total Power saving through energy efficient equipment, fixates and lifts, Solar PV proposed 186 kW - 6.53% of demand load. | | | |
| 34 | Environmental Management plan budget during Construction phase | Type | Details | Cost(Lakh) | |
| | | Capital | Air, water, land, biological environment and socioeconomic environment | 67.01 | |
| | | O and M | Air, water and Noise Monitoring | 3.69 | |
| 35 | Environmental Management plan Budget during Operation phase | Component | Details | Capital (Lakh) | O and M (Lakh/Yr.) |
| | | Sewage treatment | STP | 198.60 | 27.00 |
| | | RWH | RWH Pits | 5.00 | 0.30 |
| | | Solid Waste | OWC | 35.00 | 2.40 |
| | | Green Belt Development | Landscape development | 135.96 | 4.45 |
| | | Water Treatment Plant | --- | 60.00 | 3.00 |
| | | Energy saving | Renewable energy | 130.20 | 5.61 |
| Environmental | EMP costing | MoEF and CC | 27.13 | | |

| | | | | | | |
|----|--|------------|---------------------|-----------------|----------------------------------|----|
| | | Monitoring | | | approved lab. | |
| 36 | Traffic Management | Type | Required as per DCR | Actual Provided | Area / parking (m ²) | |
| | | 4-Wheeler | 239 | 386 | 12.5 Sq.m | |
| | | 2-Wheeler | 1,287 | 1,484 | 2.0 Sq. m | |
| 37 | Details of Court cases / litigations w.r.t. the project and project location if any. | | | | | No |

Comparative statement details:

| Sr. | Description | Details as per EC received on | As per proposed expansion | Remarks |
|-----|--------------------------|---|---|--|
| 1 | Total Plot Area (m2) | 81200 | 81200 | Remains same |
| 3 | Net Plot Area (m2) | 63957.21 | 64,222.14 | Increased by 264.93 |
| 4 | FSI Area (m2) | 30835.74 | 43852.41 | increased by 13,016.67 m2 due UDCPR |
| 5 | Non FSI Area (m2) | 3127.00 | 42809.42 | Non FSI Area increased 39,682.42 by m2 |
| 6 | Total Construction (m2) | 33962.74 | 8666.83 | BUA increased by 52,699.09 |
| 7 | Building wise details | Other Buildings – 09 Killedar Wada, Entrance Court, Shivaji Rajee Smarak, Raj Sabha, Auditorium, Bajjar peth, Shilpi gram and Devrai, staff quarters and MLCP | Other Buildings – 19 Sarkar Wada, Entrance Court, Bhavani Mata Mandir, Rajsabha, Cultural hall, Bazar Peth, Attraction Center, Devgiri, Kokan 11 nos. of structures | Sarkar Wada (earlier Killedar Wada), Entrance Court, Bhavani Mata Mandir (earlier Shivaji Rajee Smarak) stands complete. Work for Raj Sabha is ongoing, remaining structures are yet to be constructed. MLCP is renamed as Devgiri. Shilpi gram and Devrai, Staff quarters are cancelled |
| 8 | No. of Tenements | - | -- | - |
| 9 | No. of users | Total – 8,019 nos Visitors and officials – 7,653 nos Residential – 366 nos | Total - 14,223 nos Visitors – 13,913 Nos and Staff - 310 Nos | Increased |
| 10 | Domestic Water Reqt. | 345 | 455 | Increased by 110 |
| 11 | Flushing Water Reqt. | 93 | 160 | Increased by 67 |
| 12 | Landscaping Water Reqt. | 136 | 162 | Increased by 26 |
| 13 | Sewage Generation | 175 | 203 | Increased by 28 |
| 14 | STP Capacity | 200 | 225 | Increased by 25 |
| 15 | Bio-degradable waste | 960 | 1138 | Increased by 1066 |
| 16 | Non-Bio-degradable waste | 640 | 1706 | Increased by 178 |
| 17 | Power requirement | Demand 1655 | Demand 3166.47 | Increased by 1511.47 |

| | | | | | |
|----|---------------------|----------------|------|------------------------------|----------------------|
| | (KVA) | load | | load | |
| | | Connected Load | 1862 | Connected Load | 4571.94 |
| | | | | | Increased by 2709.94 |
| 18 | DG sets | 6 X 400 kVA | | 4 X 500 kVA + 2 X 400 kVA | Increase in capacity |
| 19 | RG area | | | | |
| 20 | Location of RG area | | | | |

PP informed that following NoCs pertaining to the proposal are received till date: -

| | | |
|------------------|------------|---|
| IOD | 23/08./024 | PMC |
| Water Supply | 30/07/2024 | PMC |
| Drainage | 28/01/2025 | PMC |
| Fire | 08/08/2024 | CFO, PMC. (Provisional NOC) |
| Site elevation | 27/01/2025 | Approved by PMC, Site elevation – 660.90 m AMSL. Height of the building – 25.25 m AGL. Total top elevation – 686.15 m AMSL. |
| Solid Waste Mgt. | 21/01/2025 | SWACH |
| Garden | 08/02/2024 | PMC |

3. Proposal is an expansion of existing construction project. PP has obtained first EC vide Letter No. SEAC III-2015/CR-126/TC-3 dated 23.08.2016 for total BUA of 33962.74 m². Proposal was considered by SEIAA in its 293rd (Day-2) meeting held on 22nd May, 2025 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit Certified Compliance Report from RO, MoEF&CC, Nagpur.
2. With reference to the directions given by Hon'ble National Green Tribunal, Central Zone Bench, Bhopal in Original Application No. 93/2024(CZ) vide order dt., 08.09.2024, PP and Consultant to jointly submit undertaking that the project site is **not** located in whole or in part within 5 km. of the protected area notified under the Wildlife (Protection) Act, 1972, critically polluted areas and severely polluted areas as identified by the CPCB, eco-sensitive areas notified under Section 3(2) of the Environment (Protection) Act, and the inter-state boundaries.
3. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions indicating all required RG area as per prevailing Hon'ble Supreme Court Order. PP to obtain all mandatory NOCs from the concerned planning authority and the planning authority shall not issue occupation certificate unless PP obtains the same.
4. PP to prepare and implement plan to make proposed project a plastic free zone.
5. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP to ensure that, the water proposed to be used for construction phase should not be drinking water.

6. PP and the planning authority shall ensure that, the construction and demolition waste (C and D waste) is collected and treated at designated places as per Construction and Demolition Waste Management Rules, 2016 amended from time to time.
7. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
8. PP to ensure to achieve minimum 5% energy saving by using non-conventional energy source.

B. SEIAA Conditions-

1. PP submitted that; proposed land is in Public / Semi Public Zone recreational open space is not applicable. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
5. SEIAA decided to grant EC for FSI- 43,852.41 m², Non FSI- 42,809.42 m², Total BUA- 86,661.83 m². (Plan approval No-IOD- Zone 2/4444 dated 23.08.2024)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation

with Ground Water Authority.

- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.

- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely;

SPM, RSPM. SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-


- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
 - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without

any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Jayashree Bhoj
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pune Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Pune.